Herpetologica, 59(4), 2003, 590–598
© 2003 by The Herpetologists' League, Inc.

INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 59 December 2003

Abronia 429
deppi 527
deppii 524–531
fuscolabialis 526, 529
graminea 526, 529
martindelcampoi 524, 526–**527**, 528–531
mitchelli 581
mixteca 526, 529
oaxacae 526
taeniata 526, 529
Acacia caven 290
Acer rubrum 38, 305
Adenomera andreae 490–491, 497–499, 501–502, 504
bokermanni 490
diptyx 490, 498, 501–502
hylaedactyla 490–504
lutzi 490
marmorata 490, 501
martinezi 490
Adesmia 96, 100
Aechema recurvata 113
Agalychnis callidryas 467
Agkistrodon piscivorus 50
Alligator americanensis 152
mississippiensis 150, 459
Allobates 203
femoralis 217
Allophryne ruthveni 348
Amblyrhynchus 58, 61–65
cristatus 60
Ambystoma barbouri 333, 466
jeffersonianum 25, 168
macrodactylum columbianum 1–2
maculatum 22–23, 24–25, 29–33, 298, 304
opacum 164, 322, 330, 460, 466
tigrinum 322
Ameiva ameiva 83
Amolops 232
Amphiuma means 459–467
tridactylum 459
Anarthrophyllum 539
Andropogon spp. 476
Anisolepis longicauda 407–408, 411, 419
Anolis 89, 399–400, 404–406, 410, 413–415
cristatellus 407–408, 411, 419
cybotes 407–408, 411, 419
distichus 407–408, 411
meridionalis 83
nitens 72
paternus 407–408, 411, 419
polyrhachis 581
punctatus 407–408, 411, 419
sagrei 407–408, 411, 419
yacare 72
Ansonia 232
tiomanica 547
Apalone mutica 145–152
Aristida 480
beyrichiana 475–476, 478
stricta 312
Arius melanopus 44
Armandisaurus 58, 62, 64–65
explorator 61
Aromobates 203
Artemia 25, 167–168
Asimina spp. 478
Aster 480
tortifolius 476, 478
Astyanax fasciatus 44
Atelopus 156
Atriplex atacamensis 262
Atropoides nummifer 420, 430
nummifer mexicanus 421–429
nummifer nummifer 421–423, 426–429
nummifer occiduus 421–423, 425–429
"nummifer occiduus" 423, 426–427
olmec 420–423, 425–426, 428–429
olmec 1 423, 427
olmec 2 423, 427
picadoi 420–427
Baccharis 96
Balduina 480
angustifolia 478
Baptisia spp. 476, 478
Basiliscus 406, 410
basiliscus 400
galeritus 407–408, 411, 418
plumifrons 403, 407–408, 411, 419
vittatus 407–408, 411, 418
Berlandiera 480
spp. 478
Bogertia lutzae 239
Bolitoglossa rostrata 156
Bothriechis 420–421, 426
bicolor 428
lateralis 422–424, 427
marchi 428
nigroviridis 422–424, 427
schlegelii 422–423, 427
Bothrocophias 420–421
Bothrops 421
asper 72
barbouri 420
godmani 420
hyoprora 420
hypororus 420
lansbergii 420
melanurum 420
nasutum 420
nummifer 420

Herpetologica, 59(4), 2003, 590–598
© 2003 by The Herpetologists' League, Inc.

INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 59 December 2003

Abronia 429
deppi 527
deppii 524–531
fuscolabialis 526, 529
graminea 526, 529
martindelcampoi 524, 526–**527**, 528–531
mitchelli 581
mixteca 526, 529
oaxacae 526
taeniata 526, 529
Acacia caven 290
Acer rubrum 38, 305
Adenomera andreae 490–491, 497–499, 501–502, 504
bokermanni 490
diptyx 490, 498, 501–502
hylaedactyla 490–504
lutzi 490
marmorata 490, 501
martinezi 490
Adesmia 96, 100
Aechema recurvata 113
Agalychnis callidryas 467
Agkistrodon piscivorus 50
Alligator americanensis 152
mississippiensis 150, 459
Allobates 203
femoralis 217
Allophryne ruthveni 348
Amblyrhynchus 58, 61–65
cristatus 60
Ambystoma barbouri 333, 466
jeffersonianum 25, 168
macrodactylum columbianum 1–2
maculatum 22–23, 24–25, 29–33, 298, 304
opacum 164, 322, 330, 460, 466
tigrinum 322
Ameiva ameiva 83
Amolops 232
Amphiuma means 459–467
tridactylum 459
Anarthrophyllum 539
Andropogon spp. 476
Anisolepis longicauda 407–408, 411, 419
Anolis 89, 399–400, 404–406, 410, 413–415
cristatellus 407–408, 411, 419
cybotes 407–408, 411, 419
distichus 407–408, 411
meridionalis 83
nitens 72
paternus 407–408, 411, 419
polyrhachis 581
punctatus 407–408, 411, 419
sagrei 407–408, 411, 419
yacare 72
Ansonia 232
tiomanica 547
Apalone mutica 145–152
Aristida 480
beyrichiana 475–476, 478
stricta 312
Arius melanopus 44
Armandisaurus 58, 62, 64–65
explorator 61
Aromobates 203
Artemia 25, 167–168
Asimina spp. 478
Aster 480
tortifolius 476, 478
Astyanax fasciatus 44
Atelopus 156
Atriplex atacamensis 262
Atropoides nummifer 420, 430
nummifer mexicanus 421–429
nummifer nummifer 421–423, 426–429
nummifer occiduus 421–423, 425–429
"nummifer occiduus" 423, 426–427
olmec 420–423, 425–426, 428–429
olmec 1 423, 427
olmec 2 423, 427
picadoi 420–427
Baccharis 96
Balduina 480
angustifolia 478
Baptisia spp. 476, 478
Basiliscus 406, 410
basiliscus 400
galeritus 407–408, 411, 418
plumifrons 403, 407–408, 411, 419
vittatus 407–408, 411, 418
Berlandiera 480
spp. 478
Bogertia lutzae 239
Bolitoglossa rostrata 156
Bothriechis 420–421, 426
bicolor 428
lateralis 422–424, 427
marchi 428
nigroviridis 422–424, 427
schlegelii 422–423, 427
Bothrocophias 420–421
Bothrops 421
asper 72
barbouri 420
godmani 420
hyoprora 420
hypororus 420
lansbergii 420
melanurum 420
nasutum 420
nummifer 420

ophryomegas 420
picadoi 420
venezuelensis 73
Brachylophus 58, 377, 380, 382–383, 392, 397, 406, 410
fasciatus 57, 59–60, 62–66, 388–389, 407–408, 411, 418
sp. 64
vitiensis 57, 59–66
Brocchinia hechtioides 508
Bronchocela cristatella 549
Bufo 156
achalensis 270
alatus 72
amabilis 270–**271**, 272–282
amboroensis 133
americanus 298
arenarum 140
arequipensis 270–271, 275, 278, 280, 282
arunco 270
atacamensis 270
bufo 165, 175
caeruleostictus 272, 277, 279, 282
cophotis 270–271, 275, 277, 279, 282
corynetes 270–271, 275, 277, 279, 282
crucifer 522
flavolineatus 270–271
guttatus 280
justinianoi 133, 140
limensis 270–272, 275–277, 279–280, 282
margaritifer 272, 279–280, 282
marinus 272, 279–280, 282
nesiotes 272, 277, 280, 282
poeppigii 133, 272, 278–280, 282
quechua 133, 140
rubropunctatus 270
spiculatus 581
spinulosus 263, 270–272, 274–278, 280–282
spinulosus arequipensis 270
spinulosus flavolineatus 271
spinulosus orientalis 271
spinulosus trifolium 271
sternosignatus 73
trifolium 270–271
variegatus 270–271
vellardi 270–272, 275–280, 283
veraguensis 133, 140, 272, 277, 279–280, 283
Buteogallus meridionalis 125
Butia capitata 113
paraguayensis 290
Calamaria lovii 549
sp. 547
Candoia bibroni 58
Carphephorus spp. 478
Celtis spinosa 290
Centrolene geckoideum 251
gorzulai 247–248, 250–252
lema **247**–251
papillahallicum 247–248, 251
peristicta 251
prosoblepon 251
sp. 251
Centrolenella auyantepuiana 247, 251–252
gorzulai 251
Cereus hildemanianus 113
Cerrophidion 420–421, 424
godmani 422–423, 426–427
Chaetanthera 539
Chalarodon 406, 410
madagascarensis 407–408, 411, 418
Chamaeleo 403–404, 406–408, 410–412
fischeri 419
Chamaeleolis 414
Chamaelinorops 414
Chamaercriste 480
fasciculata 478
Chelodina longicollis 184
rugosa 184
Chelonia mydas 482
Chelydra serpentina 150–151, 184
Chiliotrichium 539
Chiropterotriton 581
Chlamydomonas 41
Chrysemys picta 150–151, 184, 188
Cichlasoma sp. 44
urophthalmus 44
Clemmys guttata 184, 187
insculpta 184
marmorata 184
Clitoria spp. 478
Cnemaspis affinis 549–551
argus 549–550
baueri 544–545, **547**, 549–550
boulengerii 549–551
chanthaburiensis 549–551
dringi 549–551
flavolineata 549–550
gordongekkoi 549–551
kandiana 549–551
kendallii 544, 547, 550–551
kumpoli 550
limi 544–**545**, 547, 549–550
nigridia 544, 550–552
nigridius 544–545
siamensis 550–552
sp. 544–545
sp. 1 550, 552
sp. 2 550, 552
sp. 3 550, 552
sp. 4 550, 552
timoriensis 550
Cnemidophorus arenivagus 76
arubensis 76
cryptus 76–77, 79, 81–86, 88
gramivagus 76–77, 79, 81–86, 88
lacertoides 76
leachei 76
lemniscatus 76–77, 79, 81–88
littoralis 76–77, 79, 81–88
longicaudus 76
murinus 76
nativo 76
nigricolor 76
ocellifer 76–77, 79, 81–88
parecis 77–**78**, 79–88
pseudolemniscatus 76
serranus 76
vacariensis 76
vanzoi 76

Cnidosculus 480
stimulosus 478
Cochranella 251
bejaranoi 133, 140
nola 140
Colostethus 220
beebei 231
bocagei 216–217
brunneus 219, 223, 234
caeruleodactylus 212, 219, 223, 227, 231, 233–234
cf. *trilineatus* 216
chalcopis 203–204, 206–207, 209, 211–216, 230, 232
collaris 216
degranvillei 230
humilis 72
leopardalis 203–204, 206, 208, 210–214, 216
marchesianus 212, 216, 219, 223, 228, 233–234
nidicola 219, **221**, 222–225, 227–233
olmonae 215
stepheni 219, 222–223, 228, 230–231, 233–234
subpunctatus 212
talamancae 216–217
Coluber viridiflavus 49
Conolophus 58, 60–65
Cordia verbenacea 113
Corvus brachyrhynchos 334
Corytophanes 406, 410
cristatus 407–408, 411, 418
percarinatus 407–408, 411, 418
Cosymbotus platyurus 549
Craspedoglossa 513
Crotalaria 480
fasciculate 478
Crotalus ruber 55
Crotaphytus 406, 410
collaris 407–408, 411, 419
Croton 480
linearis 478
Cryophis hallbergi 581
Cryptobatrachus evansi 504
Cryptophyllobates 203
Cryptotriton adelos 581
Ctenoblepharys 400, 405–406, 410
adspersa 407–408, 411, 419
Ctenosaura 58, 61–62, 64–65, 377, 380, 382–383, 392, 397
similis 388–389
sp. 60
Cycloramphus ***acangatan*** **514**–517
bolitoglossus 513–518
carvalhoi 514, 516–518
catarinensis 514, 518
diringshofeni 514, 518
eleutherodactylus 514, 518
granulosus 514, 518
migueli 514, 516–518
stejnegeri 514, 516–518
valae 514, 518
Cyclura 58, 61–62, 199
cornuta 60, 64
cychlura cychlura 200
cychlura figginsi 197, 200
cychlura inornata 195–198, 200
nubila 197
Cynodon dactylon 112
Cyperus sp. 463
spp. 478
Cyrtodactylus consobrinus 549
tiomanensis 547
Dahlia 480
pinnata 478
Daphnia magna 167–168
Dasia olivacea 549
Deirochelys reticularia 151
Dendrobates 156, 203, 216, 231
auratus 204, 217
histrionicus 217
ophistomelas 215
pumilio 204, 217
Desmognathus aeneus 460
ochropheus 467
ocoee 322
wrighti 460
Dibamus sp. 547
Dinodon 52
rufozonatum 53
Diospyros virginiana 478
Diplolaemus "altopatagonica" 407–408, 411
darwinii 407–408, 411, 419
darwini forma *altopatagonica* 540
forma *"Alto-patagonia"* 419
Dipsas variegata 72
Dipsosaurus 58, 61–65, 377, 380, 382–383, 392, 397, 406, 410
dorsalis 60, 388–389, 407–408, 411, 419
Dodonaea viscosa 113
Dormitator maculatus 44
Drosophila virilis 323–324, 327, 329
Duellmanohyla ignicolor 581
Dyschoriste 479–480
oblongifolia 478
Elachistocleis ovalis 140
Elaphe climacophora 469, 473
dione 469
helena 469–470, 472–473
quadrivirgata 469, 473
taeniura 469
Elephantopus 480
elatus 478
Eleutherodactylus 212, 239
discoidalis 140
fraudator 133
izecksohni 523
platydactylus 133, 140
plwicanorus 133, 140
polymniae 581
pulvinatus 250
rhabdolaemus 133, 140
sp. 72
Elgaria 406–408, 410–411
panamintina 419
Elionurus muticus 290
Elseya dentata 184
Emoia atrocostata 549
Emydoidea blandingi 183
blandingii 150, 184
Emydura macquarii 150–151
Enyalioides 379, 386, 406, 410
cofanorum 375–376, 380–385, 388–389, 391–392, 397

heterolepis 375–376, 380–385, 388–389, 392, 397
laticeps 375–376, 380–385, 388–389, 392, 397, 404, 407–408, 411, 418
microlepis 375–377, 380–385, 388, 391–392, 397
oshaughness 392, 397
oshaughnessyi 375–377, 380–385, 388–391
palpebralis 375–376, 380–385, 388–392, 397
praestabilis 375–376, 380–385, 388–389, 391–392, 397
Enyalius 400, 405–406, 410, 414–415
leechii 407–408, 411, 419
Ephedra andina 262
Epipedobates 203, 217
tricittatus 204
Eriogonium spp. 478
Eryngium nudicaule 112
Erythroxylum cuneifolium 290
Eugenia hyemalis 290
Eupatorium 480
capillifolium 478
compositifolium 460
sp. 113
Euphorbia peploides 112
Eurycea quadridigitata 460
Euspondylus 73
Evolvulus 480
sericeus 478
Exiliboa placata 581
Festuca 100
Flectonotus 504
pygmaeus 72
Frostius pernambucensis 243
Galleria mellonella 2
Gambelia 406, 410
wislizenii 407–408, 411, 419
Gamocarpha 539
Gastrotheca 504
fissipes 243
lauzuricae 133
marsupiata 133, 140
Gehyra mutilata 549
Gekko monarchus 549
Geochelone gigantea 185
nigra vicina 185
subcata 185
Geophis anocularis 573, 581–583
brachycephalus 575
carinosus 572–576, 578–579, 581–585
chalybeus 575
championi 575
damiani 575
downsi 575
dubius 572–575, 581–585
duellmani 573, 581–583
dunni 575
flavoguttatus 572
fuscus 573
hoffmanni 575
immaculatus 572
***juarezi* 574**–579, 581–582, 584–585
laticinctus albiventris 581
laticollaris 575
latifrontalis 575
nasalis 575
nigroalbus 575
omiltemanus 575
petersi 575
pyburni 575
rhodogaster 572–573, 581
rostralis 573, 579, 582–584
russatus 575
sallaei 575
semidoliatus 575
sieboldi 575
sp. 585
sp. Chalchijapa 576, 578–579
sp. Puebla 576, 578
talamancae 575
Gerrhonotus deppii 525
Gnaphalium spp. 478
Gomidesia palustris 113
Gongylosoma baliodeira 567, 570
baliodeirum 565–567, 569–572
"Borneo" 567–569, 572
longicauda 565–572
longicaudata 571
***mukutense* 566**–572
nicobariense 565, 567–572
nicobariensis 567, 570
scripta 567, 570
scriptum 566–568, 570–572
sp. 547
Gopherus agassizi 185
agassizii 149, 152, 178, 187, 482
polyphemus 185, 187, 311, 475
Grallaria ridgelyi 348
Graptemys geographica 184
oculifera 184
Gymnodactylus guttulatus 124
humei 551
Gyrinophilus 302
palleucus 308
porphyriticus 301, 303–309
Haploppapus 539
Hedyotis 480
procumbens 478
Helianthemum 480
corymbosum 478
Heliconia 499
Hemidactylium scutatum 164–165, 167–168, 172–175, 467
Hemidactylus frenatus 549
Herpetotheres cachinnans 125
Heterodactylus lundii 124
Heterodon 156
Hexachlamis edulis 113
Hilodes lateristrigatus 523
sp. 523
Hoplocercus spinosus 375–376, 379–380, 382–385, 388–392, 397, 407–408, 411, 419
Hoplodactylus maculatus 8–10, 14–17, 19–20
Hordeum 539
Hyalinobatrachium 251
crurifasciatum 250
orientale 250
sp. 250
Hyla albomarginata 350
albonigra 351, 353
albopunctata 522

alvarengai 360
alytolylax 349
andina 133, 140, 351, 353, 355, 360, 363
arildae 522
armata 133, 140, 339–340, 345, 349
balzani 351, 353, 355
biobeba 360
boans 250, 360
caingua 351, 353, 360, 363
callipleura 360
calvicollina 581
caucana 347
cavicola 522
celata 581
cinerea 350
circumdata 522, 350–351, 360–361
cyanomma 581
cyclada 581
cymbalum 350–351, 353, 363
decipiens 522
echinata 581
elegans 522
ericae 351, 353, 355, 360, 363
evansi 504
faber 522
hylax 360
ibitiguara 360
joaquini 350, 353, 355–361, 363
langei 360
larinopygion 339–340, 345–349
lateralis 350
leucomelas 350
lindae 346–347, 349
luteoocellata 72–73
marahuaquensis 504
marginata 350–351, 353, 355, 360, 363
marianitae 133, 140, 351, 355, 360, 363
martinsi 360, 522
melanopleura 351
minuta 72, 140, 250, 522
nephila 581
pacha 346–347, 349
palaestes 351, 355, 360
pantosticta 346–347, 349
pardalis 522
polytaenia 522
prasina 350–351, 353, 355, 360, 363
psarolaima 346–347, 349
pseudopseudis 360
ptychodactyla 346–347, 349
pulchella 339–340, 345, 347–349, 358
pulchella andina 350
pulchella cordobae 350–351, 353, 355, 363
pulchella joaquini 350–354, 361
pulchella pulchella 350–355, 360, 363
pulchella riojana 350–351, 353, 355
raddiana joaquini 350
raddiana raddiana 350
regilla 298
sabrina 581
sarampiona 347
saxicola 360
semiguttata 350–351, 353, 355, 358, 360, 363
semilineata 522
sibleszi 250
sp. 522
sp. 1 363
sp. 2 363
staufferorum 346–347, 349
tapichalaca 339–**340**, 341–348
truncata 346, 348–349
Hypochaeris 539
Ichthyophis sp. 547
Ictalurus natalis 47
Iguana 58, 61, 64
delicatissima 63
iguana 60
Ischnocnema sanctaecrucis 133, 140
Isopachys 557, 561–562
Juncus cf. *microcephalus* 522
Kalmia latifolia 305
Kentropyx vanzoi 83
Kinosternon 188
flavescens 184
sonoriense 184
subrubrum 151
Kunhardtia rhodantha 508
Lacerta vivipara 330
Laemanctus 406, 410
longipes 407–408, 411, 418
Lantana camara 113
Lapitiguana 60, 62, 64–65
impensa 59, **60**–61, 63, 66
Larutia larutensis 552–555, 557, 559–564
miodactyla 552–554, 557–564
osellai 552, 562
poiensis 553, 555, 558
poinensis 557, 560
puehensis 552, 554, **556**, 558–559, 561–564
seribuatensis 552–**553**, 554–564
sumatrensis 552–554, 557–564
trifasciata 552–554, 557–564
Leiocephalus 399–400, 404–406, 410, 414–415
carinatus 407–408, 411, 419
personatus 407–408, 411, 419
schreibersi 407–408, 411, 419
Leiolepis 380, 382–383, 392, 397, 403–404, 406–408, 410–411
belliana 388–389, 419
Leiosaurus bellii 407–408, 411, 419
catamarcensis 407–408, 411, 419
Leptoceps poilani 562
Leptodactylus 47
chaquensis 140
fuscus 523
gracilis 140
labyrinthicus 523
lithonaetes 509
longirostris 250
ocellatus 523
rhodonotus 133
rugosus 250
sabanensis 250
sp. 72
Leptolalax sp. 547
Leptoseps 552, 557
Lespedeza 156
Leucothoe axillaris 305

Leuresthes tenuis 460, 465
Liatris 479–480
gracilis 478
spp. 476
tenuifolia 478
Limnonectes blythii 549
Lineatriton 581
Liolaemus 263, 400, 405–406, 410
andinus 100
arambarensis 105–**107**, 108–116, 118
austromendocinus 90–91, 93, 97, 101–102, 104, 532–535, 540, 542
azarai 283–**284**, 285–287, 289–291
bibronii 540
buergeri 89, 91, 101–103, 533–536, 540, 542
capillitas 89–93, 95–97, 99–104, 532–535, 540, 543
ceii 101–102, 533
chiliensis 89–90, 532, 540
coeruleus 102, 533
cranwelli 106–110
cristiani 102, 533
curis 533
darwinii 284
dicktracyi 89–91–**92**, 93, 95–97, 101–104, 532–535, 540, 543
elongatus 89–93, 95–97, 99–104, 407–408, 411, 419, 532–535, 538–541, 543
famatinae 95–96
heliodermis 89–92, 95–97, 101–104, 532–535, 540
irregularis 89
isabelae 102, 533
koslowskyi 96, 407–408, 411, 419
kriegi 101–102, 532–536, 538–541, 543
lemniscatus 407–408, 411, 419
leopardinus 101–102, 533
lutzae 106, 108–110, 113–114, 116, 118, 284–286, 292
magellanicus 89, 407–408, 411, 419
multimaculatus 106–110, 114, 116, 284–285, 292
neuquensis 102, 533
nigriceps 89
occipitalis 106, 108–110, 113–114, 116, 118, 284–286, 292
petrophilus 90–91, 93, 97, 101–102, 104, 533–535, 540, 543
pictus 407–408, 411, 419
pseudoanomalus 407–408, 411, 419
punmahuida 532, 534–**535**, 536–540, 543
rabinoi 106–110, 116, 284–286
ramonensis 102, 533
riojanus 106–110, 114, 116, 284–285, 292
rothi 540
ruibali 407–408, 411, 419
salinicola 106–110, 113, 116, 284–286, 292
scapularis 106–110, 113, 116, 285–286, 292
signifer 89
sp. nov. 106
thermarum 90–93, 97, 104, 532–535, 543
umbrife 543
umbrifer 89–93, 95–**96**, 97, 99–104, 532–535, 540
valdesianus 102, 533
wiegmanni 118, 284
wiegmannii 105–110, 113–116, 283–287, 289–291
Liopeltis 565, 570
Liophis 156
reginae zweifeli 73
tricolor 572
Lithreaea brasiliensis 113
Lumbriculus variegatus 25
Lygosoma bowringii 549
larutensis 562
miodactyla 562
sumatrensis 562
trifasciata 562
Mabuya frenata 83
multifasciata 549
nigropunctata 83
Macrobrachium acanthrurus 44, 47
Macropisthodon flaviceps 549
Malachocherus tornieri 185
Malaclemys terrapin 184
Mannophryne 73, 217, 231
cf. *trinitatis* 215–216
herminae 203–204, 206, 208, 210–214, 216
neblina 203–204, 206, 208, 210–214, 216
olmonae 203–204, 206–207, 209, 211–216
riveroi 216
sp. 72
trinitatis 203–204, 206–207, 209, 211–216
Microblepharus atticolus 83
Microlophus 400, 405
atacamensis 407–408, 411, 419
Micrurus frontalis 125
mipartitus 72
Minyobates 203, 216–217
ophistomelas 215
Mirounga angustirostris 200
Morunasaurus 379, 391
annularis 375–376, 380, 382–385, 388–389, 392, 397, 407–408, 411, 418
groi 375–376, 380, 382–385, 388–389, 392, 397
Mulinum 539
Mus musculus 469
Myrciaria cuspidata 113
Myrsine umbellata 113
Nassauvia 539
Nastanthus 539
Navia pungens 508
Nephelobates 203–204
Nerodia erythrogaster 42
rhombifer 47–50
rhombifer blanchardi 43
rhombifer rhombifer 43
rhombifer werleri 43–50
valida 43
Norops 414
Notemigonus crysoleucas 47
Notophthalmus 156
viridescens 165, 167–168, 322
Ocotea acutifolia 290
Odontophrynus americanus 140
Oenothera sp. 112
Oligodon sp. 547
Ophryacus 420–421, 426
melanurus 422–424, 427
undulatus 422–424, 427, 529
Oplurus 406, 410
cuvieri 407–408, 411, 419
Opuntia monacantha 113

Oreochromis aureus 44
Oreosaurus lacertus 433, 439
Oxalis 539
Paepalanthus 522
Panicum racemosum 112
Pantodactylus schreibersii 83
Paspalum notatum 112
Penstemon 156
Peperomia peresquifolia 113
Peschiera australis var. *hilariana* 290
Petrosaurus 406, 410
thalassinus 407–408, 411, 419
Petunia integrifolia 112
Phacognathus hubrichti 460
Phalotris concolor 125
Phenacosaurus 414
Pheobanthus 480
grandiflora 478
Phobobates 203
Pholidobolus 73, 446
Phrynopus kempffi 133
Phrynosoma 406, 410
douglassi 419
hernandesi 407–408, 411, 419
solare 407–408, 411, 418
Phyllobates 156, 203, 217
trivittatus 204
Phyllodytes acuminatus 235–237, 239, 243, 245–246
auratus 235–236, 241, 245–246
brevirostris 235–237, 245–246
edelmoi 235, **236**–240, 243, 245–246
gyrinaethes 235, 237, **239**, 241–246
kautskyi 235–236, 245–246
luteolus 235–237, 245–246
melanomystax 235–236, 245–246
tuberculosus 235–236, 241, 245–246
Phyllonastes carrascoicola 133
Phymaturus 400, 405–406, 410
antofagastensis 100
cf. *palluma* 540
mallimaccii 95–96
somuncurensis 407–408, 411, 419
Physalaemus biligonigerus 520
cuvieri 520–521, 523
deimaticus 519–521, 523–524
***erythros* 519**–524
freibergi 520
maculiventris 520
nattereri 520
olfersi 520
pustulosus 520
rupestris 519–521, 523–524
sifnifer 520
Physalis spp. 478
Physignathus 380, 382–383, 392, 397
concincinus 388
lesueurii 389
Pinus 480
elliottii 476
palustris 311, 476
spp. 478
Pituophis melanoleucus 56, 469
Pityopsis spp. 476, 478
Plantago spp. 478
Platymantis sp. 58
Platysaurus broadleyi 455–457
Plectrohyla 347
Plethodon cinereus 322–323, 330
Pleurodema cinereum 140
Plica 400, 405
plica 407–408, 411, 419
Poecilia mexicana 44
Polistes dominulus 330
Polychrus 380, 382–383, 392, 397, 399–400, 406, 410, 413–414
acutirostris 83, 407–408, 411, 419
marmoratus 388–389, 407–408, 411, 419
peruvianus 415
Polygala 480
grandiflora 478
sp. 112
Polypodium lepidopterys 113
Polypremum sp. 478
Porthidium 424–426, 428
barbouri 420
dunni 422–423, 427
godmani 420
hyoprora 420–421
lansbergii 422–423, 427
melanurum 420
nasutum 422–423, 427
nummifer 420
olmec 420
ophryomegas 422–423, 427
picadoi 420
tzotzilorum 420
Pristidactylus 380, 382–383, 392, 397, 406, 410
achalensis 389
scapulatus 407–408, 411, 419
torquatus 388
Proctoporus 71
achlyens 68, 72–73, 75
anatoloros 69, 75
balneator 69, 75
bolivianus 75, 432–434, 436–440, 442–443, 446–447, 449
cashcaensis 69, 75
cephalolineatus 73
colomaromani 69, 75
columbianus 69, 75
guentheri 72, 75, 432–435, 437–440, 443, 448–449
hypostictus 69, 75
inanis 68–**69**, 72–75
labionis 69, 75
lacertus 433, 439, 447–448
laevis 68, 433
longicaudatus 433, 439
luctuosus 68–69, 72–75
meleagris 69, 75
obesus 433, 439, 447
oculatus 68, 75
orcesi 69, 75
pachyurus 68–69, 75, 432–433, 438–440, 443, 448
petrorum 69, 75
raneyi 69, 75
shrevei 68, 72, 75
simoterus 69, 75
sp. 1 439

sp. 2 443
stigmatoral 69, 75
striatus 69, 75
sucullucu 432, 436–437, **439**–440, 442–443, 448–449
unicolor 69, 75
unsaacae 432, 436–437, 439–440, **443**, 445, 448–449
ventrimaculatus 68, 75, 432
vespertinus 69, 75
vietus 69, 75
Prosopis algarrobilla 290
Pseudacris crucifer 37
Pseudemydura umbrina 184
Pseudemys scripta 178–180, 183
Pseudoeurycea juarezi 581
saltator 581
Pseudophryne bibroni 460, 466–467
Pseudotriton montanus 301–305, 307–308
ruber 301, 303–309
Ptyas carinata 567
Ptychohyla acrochorda 581
Ptyctolaemus 415
Pumila 58
Pumilia 60, 64
Quercus 480
geminata 476
laevis 476
rubra 38
spp. 478
Rallus owstoni 196
Ramphotyphlops cf. *braminus* 549
Rana aurora 298
cascadae 164, 175
dalmatina 41
sylvatica 37, 298
temporaria 293–295, 298–299
Reticulitermes flavipes 324
Rhamdia guatemalensis 44
Rhododendron maxima 305
Rhynchelytrum repens 112
Rhynchosia spp. 476
Rhyncosia spp. 478
Richardia 480
brasiliensis 478
scabra 478
Ruellia 480
carolinensis 478
Rumora sp. 113
Sator 401, 406, 410
angustus 407–408, 411
Sauromalus 58, 61, 64–65, 406, 410
obesus 20, 60, 407–408, 411, 419
varius 60, 62
Sceloporus 406, 410
graciosus 407–408, 411, 419
jarrovi 8, 19
magister 407–408, 411, 419
ochoterenae 407–408, 411, 419
scalaris 16, 407–408, 411, 419
undulatus 16–17, 20, 150
utiformis 407–408, 411, 419
Scinax castroviejoi 140
eurydice 522
flavoguttatus 522
longilineus 522
luizotavioi 522
rizibilis 522
Scutellaria 480
arenicola 478
Senecio sp. 100, 539
Serenoa repens 478
Serona repens 476
Shrankia 480
microphylla 476, 478
Siaphos 562
Sibon nebulata 72
Simocephalus 166
Simulium spp. 456
Smilax 305
campestris 113, 290
Solidago 480
fistulosa 478
stricta 478
Sparganium eurycarpum 38
Spea bombifrons 322, 330
multiplicata 330
Spermophilus beldingi 330
Sphagnum 305, 308
Sphenodon punctatus 149
Sphenomorphus 561–562
scotophilus 549
sp. 547
Spyrogyra 41
Stefania ackawaio 506, 509
ayangannae 506, 509
***breweri* 505**–510
coxi 509
evansi 505–506, 509–511
ginesi 504, 506, 508–509, 511
goini 504, 506, 508–511
marahuaquensis 504–505, 508–510
oculosa 505–506, 508–509, 511
percristata 505, 508–510
riae 505–506, 509–510, 512
riveroi 505, 508–509, 511
roraimae 505–506, 509–510
satelles 505–506, 508–509, 511
scalae 504–506, 508–510, 512
schuberti 505, 509, 511–512
shuberti 508
tamacuarina 505–506, 509–510
woodleyi 504, 506, 508–510
Stegolepys pulchella 508
Stenocercus 400, 405–406, 410
crasicaudatus 419
crassicaudatus 407–408, 411, 419
doellojuradoi 401, 407, 411, 419
empetrus 407–408, 411, 419
ochoai 407–408, 411, 419
Stenorrhina degenhardtii 72
Stereochilus 301, 308
marginatus 309
Sternotherus minor 151
odoratus 151
Stillingia spp. 478
Stylosanthes biflora 478
Takifugu niphobles 460
Tantilla andinista 122
***boipiranga* 119**–125

capistrata 122
equatoriana 122
insulamontana 123
lempira 119, 123
melanocephala 119–126
miyatai 123
pallida 120, 125
rubra 125
Taricha granulosa 155–157, 161
Telmatobius arequipensis 267
bolivianus 129, 134
culeus 129, 134
dankoi 253, 255, 267, 269
edaphonastes 128, 133–134
fronteriensis 253, 255, 267–268, 270
gigas 129, 134
halli 253–255, 258, 263, 265–269
huayra 129, 134, 255
ifornoi 129, 134
jahuira 129, 134
marmoratus 127, 129, 134, 253, 255, 266–267, 269
marmoratus hintoni 134
pefauri 253, 255, 268–269
peruvianus 253, 255, 266–267, 269
philippii 253, 255, 267, 270
***sibiricus* 128**–134, 140
simonsi 127–128, 130–131, 133–136, 138–140
species A 131
***vilamensis* 253–254, 255**–256, 258–259, 261–269
yuracare 128–129, 133–134
zapahuirensis 253, 255, 268–269
Tephrosia spp. 478
Terrapene carolina 178, 184, 187
ornata 179, 184
Testudo graeca 185, 187
hermani 187
hermanni 185
Thamnophis butleri 488
couchi 156
couchii 488
elegans 48, 55, 334, 473, 488
fulvus 156
radix 337–338
sirtalis 48, 55, 155–157, 161, 338, 484, 486–488
sirtalis parietalis 333–334, 336–337
spp. 334
Thorius arboreus 581
aureus 581
boreas 581
insperatus 581
macdougalli 581
smithi 581
Tillandsia spp. 478
Trachemys scripta 151, 184, 482
Trimeresurus sp. 547
Trimorphodon biscutatus biscutatus 364, 372
biscutatus lambda 364–372, 374
biscutatus lyrophanes 364, 373
biscutatus quadruplex 364, 372
biscutatus vandenburghi 364
biscutatus vilkinsonii 364–372
lambda vilkinsoni 372
latifasciata 364
tau 364
tau latifascia 372
tau tau 372
upsilon 372
vilkinsoni 372–374
vilkinsonii 364, 372
Tropidurus 400, 405–406, 410
etheridgei 407–408, 411, 419
nanuzae 124
spinulosus 407–408, 411, 419
Tupinambis merianae 83
Typha latifolia 38
Uma 406, 410
scoparia 407–408, 411, 419
Uracentron 400, 405
flaviceps 407–408, 411, 419
Uranoscodon 400, 405–406, 410
superciliosus 407–408, 411, 419
Urosaurus 406, 410
graciosus 407–408, 411, 419
Urostrophus 406, 410
gallardoi 407–408, 411, 419
vautieri 407–408, 411, 419
Uta 406, 410
stansburiana 407–408, 411, 419
Utetheisa 156
Varanus nebulosus 549
salvator 549
Vellozia 124
Viola 539
Waglerophis merremi 140
Xenodon 156
Xenohyla truncata 346
Xenosaurus 581
Yucca 480
aloifolia 478
Zachaenus 513

Herpetologica, 59(4), 2003, 599–600
© 2003 by The Herpetologists' League, Inc.

TOPICAL INDEX

HERPETOLOGICA

Volume 59 December 2003

ACID STRESS, *Ambystoma maculatum* 22–36.
ADVERTISEMENT CALLS, *Adenomera* 490–504.
AGE, turtles (estimated from growth rings) 178–194.
AMBUSH, *Platysaurus broadleyi* 455–458.
AMPHIBIAN DECLINES, *Ambystoma maculatum* 22–36.
ANTIPREDATOR BEHAVIOR, *Hyla* ***tapichalaca*** 339–349.
ASSIMILATION, *Rana sylvatica* and *Pseudacris crucifer* (food resources by tadpoles) 37–42.
ATLANTIC FOREST, *Cycloramphus* ***acangatan*** 513–518.
BEHAVIOR, *Platysaurus broadleyi* 455–458.
BIOGEOGRAPHY, *Gongylosoma* ***mukutense*** 565–572; *Stefania* 504–512.
BURROW, *Gopherus polyphemus* 311–321.
CALL TYPES, *Adenomera* 490–504.
CANOPY COVER, *Rana sylvatica* and *Pseudacris crucifer* (related to assimilation of food resources by tadpoles) 37–42.
CHARACTER CODING, hoplocercid lizards 375–398.
CHROMOSOME BANDING, *Colostethus chalcopis*, *C. leopardalis*, *Mannophryne herminae*, *M. neblina*, *M. olmonae*, and *M. trinitatis* 203–218.
CLUTCH SIZE, *Amphiuma means* 459–468.
COELOMIC FAT STORAGE, *Nerodia rhombifer werleri* 43–51.
COLOR PATTERN, *Thamnophis sirtalis* 484–489.
CONSERVATION, *Cyclura cyclura inornata* 195–202; *Gopherus polyphemus* 311–321, 475–483.
CONTEXT-DEPENDENT BEHAVIOR, *Plethodon cinereus* 322–333.
CRYPTIC SPECIES, *Proctoporus* ***sucullucu*** and *P.* ***unsaacae*** 432–449.
DELAYED HATCHING, *Amphiuma means* 459–468.
DEMOGRAPHIC HEALTH, *Gopherus polyphemus* 475–483.
DEMOGRAPHY, turtles (estimated from growth rings) 178–194.
DEVELOPMENTAL STABILITY ANALYSIS, *Ambystoma maculatum* 22–36.
DIET, *Gopherus polyphemus* 475–483; *Nerodia rhombifer werleri* 43–51.
DIRECT DEVELOPMENT, *Amphiuma means* 459–468.
EARLY WARNING SYSTEM, *Ambystoma maculatum* 22–36.
EFFECTS OF PREY SIZE, *Elaphe helena* (on prey-handling behavior) 469–474.
EGG, *Amphiuma means* 459–468.
EGG LIPIDS, *Apalone mutica* 145–154.
EMBRYO GROWTH, *Apalone mutica* 145–154.
EMIGRATION, *Gopherus polyphemus* 311–321.
ENDOTROPHIC TADPOLE, *Colostethus* ***nidicola*** 219–234.
ENVELOPE, *Rana temporaria* (egg) 293–300.
EXTINCTION, *Cnemidophorus* ***parecis*** (critically endangered) 76–88.
FEEDING FREQUENCY, *Nerodia rhombifer werleri* 43–51.
FITNESS CORRELATES, *Ambystoma maculatum* 22–36.
FLUCTUATING ASYMMETRY, *Ambystoma maculatum* 22–36.
FOOD CHEMICAL DISCRIMINATION, *Platysaurus broadleyi* 455–458.
FORAGING, *Gopherus polyphemus* 475–483.
FORAGING MODE, *Platysaurus broadleyi* 455–458.
GEOGRAPHIC VARIATION, *Hoplodactylus maculatus* (in effect of temperature on pregnancy) 8–22.
GIVING-UP TIME, *Platysaurus broadleyi* 455–458.
GROWTH ANNULI, turtles 178–194.
GROWTH RINGS, turtles 178–194.
HABITATS, *Gyrinophilus porphyriticus*, *Pseudotriton montanus*, and *P. ruber* 301–310.
HATCHLING, *Amphiuma means* 459–468; *Apalone mutica* 145–154.
HERBIVORY, *Gopherus polyphemus* 475–483.
HOLOCENE EXTINCTION, *Lapitiguana impensa* (late Quarternary iguanid from Fiji) 60.
HOME RANGE, *Gopherus polyphemus* 311–321.
INHERITANCE, *Thamnophis sirtalis* (melanism) 484–489.
JELLY, *Rana temporaria* (egg) 293–300.
JUMPING PITVIPERS, *Atropoides* 420–431.
KARYOTYPE, *Liolaemus* ***arambarensis*** 105–118; *Telmatobius* ***vilamensis*** 253–270.
KIN DISCRIMINATION, *Plethodon cinereus* 322–333.
KIN RECOGNITION, larval *Hemidactylium scutatum* 164–177; *Plethodon cinereus* 322–333.
KIN SELECTION, in larval *Hemidactylium scutatum* 164–177.
LARVAE, *Amphiuma means* 459–468; *Gyrinophilus porphyriticus*, *Pseudotriton montanus*, and *P. ruber* (habitats) 301–310.
LARVAL BEHAVIOR, *Hemidactylium scutatum* 164–177.
LIFE HISTORY, *Amphiuma means* 459–468.
MELANISM, *Thamnophis sirtalis* (inheritance) 484–489.
METAMORPHOSIS, *Amphiuma means* 459–468.
METAPOPULATION, *Thamnophis sirtalis* 333–339.
METATAXA, iguanian lizards 399–419.
MICROSATELLITE, *Cyclura cyclura inornata* 195–202.
MORPHOLOGY, hoplocercid lizards 375–398.
MORPHS, *Adenomera* 490–504.
MOVEMENT, *Gopherus polyphemus* 311–321.
MULTIVARIATE ANALYSIS, *Trimorphodon biscutatus vilkinsonii* and *T. b. lambda* 364–374.
NEW GENUS, ***Lapitiguana*** (late Quarternary iguanid from Fiji) 60.

NEW SPECIES, *Abronia* ***martindelcampoi*** (Guerrero, Mexico) 527; *Bufo* ***amabilis*** (S Ecuador) 271; *Centrolene* ***lema*** (Guianan region of Venezuela) 247; *Cnemaspis* ***baueri*** (W Malasia) 547; *Cnemaspis* ***limi*** (W Malasia) 545; *Cnemidophorus* ***parecis*** (SW Brazil) 78; Colostethus ***nidicola*** (Amazon rainforest of Brazil) 221; *Cycloramphus* ***acangatan*** (Atlantic Forest, Brazil) 513–518; *Geophis* ***juarezi*** (Oaxaca, Mexico) 574; *Gongylosoma* ***mukutense*** (W Malasia) 566; *Hyla* ***tapichalaca*** (S Ecuador) 339–349; ***Lapitiguana impensa*** (late Quarternary of Fiji) 60; *Larutia* ***puehensis*** (E Malasia) 556; *Larutia* ***seribuatensis*** (W Malasia) 553; *Liolaemus* ***arambarensis*** (S Brazil) 107; *Liolaemus* ***azarai*** (NE Argentina and S Paraguay) 284; *Liolaemus* ***dicktracyi*** (NW Argentina) 92; *Liolaemus* ***punmahuida*** (NW Patagonia, Argentina) 535; *Liolaemus* ***umbrifer*** (NW Argentina) 96; *Phyllodytes* ***edelmoi*** (Atlantic rain forest of NE Brazil) 236; *Phyllodytes* ***gyrinaethes*** (Atlantic rain forest of NE Brazil) 239; *Physalaemus* ***erythros*** (SE Brazil) 519; *Proctoporus* ***inanis*** (Venezuela) 69; *Proctoporus* ***sucullucu*** (S Peru) 439; *Proctoporus* ***unsaacae*** (S Peru) 443; *Stefania* ***breweri*** (Venezuela) 505; *Tantilla* ***biopiranga*** (SE Brazil) 119; *Telmatobius* ***sibiricus*** (Bolivia) 128; *Telmatobius* ***vilamensis*** (N Chile) 255.

NIDICOLOUS TADPOLE, *Colostethus* ***nidicola*** 219–234.

OLFACTION, *Ambystoma macrodactylum columbianum* (in non-breeding social interactions) 1–7.

OSTEOLOGY, *Telmatobius* ***vilamensis*** 253–270.

PARENTAL INVESTMENT, *Apalone mutica* 145–154.

PHYLOGENETIC TAXONOMY, iguanian lizards 399–419.

PHYLOGENY, *Atropoides* 420–431; hoplocercid lizards 375–398; *Larutia* ***puehensis*** and *L.* ***seribuatensis*** 552–564.

PHYLOGEOGRAPHY, *Atropoides* 420–431.

POLYMORPHISM, *Thamnophis sirtalis* (color pattern) 484–489.

PREDATION, *Hemidactylium scutatum* (predator avoidance by larvae) 164–177; on *Taricha granulosa* by *Thamnophis sirtalis* 155–163.

PREDATOR-PREY, *Thamnophis sirtalis* and *Taricha granulosa* 155–163.

PREY CHEMICAL DISCRIMINATION, *Platysaurus broadleyi* 455–458.

PREY-HANDLING BEHAVIOR, *Elaphe helena* 469–474.

REDESCRIPTION, *Telmatobius halli* 253–270.

REPRODUCTION, *Amphiuma means* 459–468; *Cyclura cyclura inornata* 195–202; *Hoplodactylus maculatus* 8–22; *Nerodia rhombifer werleri* 43–51.

RESISTANCE, of *Thamnophis sirtalis* to *Taricha granulosa* toxin 155–163.

RESTING HABITAT, *Liolaemus* ***arambarensis*** 105–118.

SACCULAR LUNG, *Dinodon rufozonatum* (not an aid to gap spanning) 52–57.

SELECTION, for resistance in *Thamnophis sirtalis* to *Taricha granulosa* toxin 155–163.

SOCIOBIOLOGY, *Ambystoma macrodactylum columbianum* (non-breeding social interactions) 1–7.

SPAN, *Dinodon rufozonatum* (not aided by the saccular lung) 52–57.

SYMPATRY, *Adenomera* 490–504.

SYSTEMATICS, *Atropoides* 420–431; *Cnemaspis* ***baueri*** and *C.* ***limi*** (W Malasia) 544–552; dendrobatid frogs 203–218; *Geophis* ***juarezi*** (Oaxaca, Mexico) 572–585.

TADPOLE, *Hyla joaquini* 350–363; *Rana sylvatica* and *Pseudacris crucifer* (assimilation of food resources) 37–42; *Telmatobius* ***vilamensis*** 253–270.

TAXONOMY, *Abronia deppii* and *A.* ***martindelcampoi*** 524–531; *Hyla joaquini* 350–363; *Liolaemus elongatus* group 89–105; *Physalaemus* ***erythros*** 519–524; *Proctoporus bolivianus*, *P.* ***sucullucu***, and *P.* ***unsaacae*** 432–449; *Proctoporus* ***inanis*** 68–75; *Trimorphodon vilkinsonii* 364–374.

TEMPERATURE, *Hoplodactylus maculatus* (effect on length of gestation) 8–22.

TETRODOTOXIN, *Taricha granulosa* 155–163.

TOPOLOGY TEST, iguanian lizards 399–419.

TOXIN, *Taricha granulosa* 155–163.

TRANSLOCATION, *Cyclura cyclura inornata* 195–202.

UV-B, *Rana temporaria* 293–300.

VIVIPARITY, *Hoplodactylus maculatus* 8–22.

VOCALIZATION, *Hyla joaquini* 350–363.